




A-1




A-2



D-1



EL-2




EL-3


รุ่น	วัตต์ (W)	ใช้ไฟ (V AC)
A-1-250	250	220
A-1-400	400	220
A-1-500	500	220
A-1-650	650	220
A-1-800	800	220
A-1-1000	1,000	220
A-2-200	200	220
A-2-250	250	220
A-2-325	325	220
A-2-400	400	220
A-2-500	500	220
D-1-300	300	220
D-1-400	400	220
D-1-500	500	220
EL-2-400	400	220
EL-2-650	650	220
EL-2-800	800	220
EL-3-300	300	220
EL-3-400	400	220
EL-3-500	500	220
EL-3-600	600	220
EL-3-800	800	220

รุ่น	วัตต์ (W)	ใช้ไฟ (V AC)
A-1-T-150*	150	220
A-1-T-250*	250	220
A-1-T-650*	650	220
A-1-T-800*	800	220
A-1-T-1000*	1,000	220
A-2-T-250*	250	220
A-2-T-500*	500	220
EL-2-400	400	220
EL-2-650	650	220
EL-2-800	800	220
EL-3-400	400	220
EL-3-600	600	220
EL-3-800	800	220


การใช้งาน




ใช้งานบรรจุหีบห่อ



อุ่นของเหลวขณะไหลผ่าน



อบชิ้นส่วนบนสายพานลำเลียง



อบแผ่นฟิล์ม